EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46	(soap OR (simple ADJ object ADJ access ADJ protocol)) ADJ proxy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 15:28
S2	2	(soap OR (simple ADJ object ADJ access ADJ protocol)) ADJ relay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/03 14:07
S3	4967	(soap OR (simple ADJ object ADJ access ADJ protocol)) SAME (intermedia$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/03 14:07
S4	6	S3 AND (identify ADJ (client OR requestor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/03 14:18
S6	167504	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:56
S7	2042	S6 SAME (proxy OR relay OR intermediary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 15:32

S8	14	S7 SAME (identif$3 NEAR3 (client OR caller OR sender))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:00
S9	29	identif$3 NEAR5 (execution ADJ stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 16:35
S10	454	(identif$3 NEAR5 (client OR caller)) SAME (classname OR ((class OR object OR process OR thread) ADJ (name OR identifier OR id)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:04
S11	345	(identif$3 NEAR5 (client OR caller)) WITH (classname OR ((class OR object OR process OR thread) ADJ (name OR identifier OR id)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 16:38
S12	228	(identif$3 NEAR3 (client OR caller)) NEAR5 (classname OR ((class OR object OR process OR thread) ADJ (name OR identifier OR id)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 16:40
S13	26	S7 AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 07:27
S16	167613	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:21

EAST Search History

S17	198	S16 SAME (identif$3 NEAR3 (client OR caller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:32
S18	27	S16 SAME (identif$3 NEAR3 (client OR caller) NEAR3 (object OR class OR stack OR api))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:56
S19	510	S16 AND (identif$3 NEAR3 (client OR caller) SAME (object OR class OR stack OR api))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:57
S20	259	S16 AND (identif$3 NEAR3 (client OR caller) WITH (object OR class OR stack OR api))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:57
S21	259	S16 AND ((identif$3 NEAR3 (client OR caller)) WITH (object OR class OR stack OR api))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:01
S22	481	S16 AND ((identif$3 NEAR3 (client OR caller)) WITH (object OR class OR stack OR api OR method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:04
S23	2045	S16 SAME (proxy OR relay OR intermediary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:02

S24	99	S22 AND S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:03
S25	4198	((identif$3 NEAR3 (client OR caller)) WITH (object OR class OR stack OR api OR method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:05
S26	99	S23 AND S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:19
S27	46	(identif$3 NEAR3 (client OR caller)) SAME (debug$4 OR troubleshoot$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:44
S28	2409	S16 AND (identif$3 NEAR5 (client OR caller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:32
S29	30	S16 AND ((identif$3 NEAR5 (client OR caller)) SAME (debug$4 OR troubleshoot$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:35
S30	2726	S16 AND (identif$3 NEAR5 source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:35

S31	197	S16 AND (identif$3 NEAR5 source NEAR5 message)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:37
S32	36	S16 AND (identif$3 NEAR5 (source ADJ2 message))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:37
S33	167613	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:56
S34	1034	S33 AND (classname OR (class ADJ name))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:57
S35	52	S33 AND ((classname OR (class ADJ name)) WITH (client OR caller))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:57
S36	80537	(identif$3 NEAR5 (client OR caller OR sender OR source))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:06
S37	10359	(identif$3 NEAR5 (client OR caller OR sender OR source)) WITH ((user ADJ agent) OR api OR stack OR axis OR address)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:24

S38	8266	identif$3 NEAR5 (client OR caller OR sender OR source) NEAR5 ((user ADJ agent) OR api OR stack OR axis OR address)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:10
S39	167613	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:10
S40	516	S38 AND S39	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:13
S41	0	S40 AND "709"/$.CCLS	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:13
S42	259	S40 AND "709"/$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:13
(S43)	2	(identif$3 NEAR5 (client OR caller OR sender OR source)) WITH (execution ADJ stack)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:25
S44	958	(proxy OR intermediary) WITH identif$4 WITH (client OR caller)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:01

S45	167647	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:01
S46	163	S44 AND S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:02
S47	650	(transmit$3 OR send$3) NEAR5 ((class ADJ name) OR (object identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:35
S48	89	S45 AND S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:33
S49	270	(transmit$3 OR send$3) NEAR5 ((class ADJ name) OR (object ADJ identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:35
S50	29	S45 AND S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:35
S51	1	header WITH corba WITH (id OR identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:04

S52	3700	header WITH message WITH (id OR identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:14
S53	11	corba WITH header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:14
S54	2023	header WITH message WITH identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19
S55	594	S54 AND "709"/$.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19
S56	88	S54 AND "709"/217-219. CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:15
S57	0	(insert ADJ identifier ADJ header) WITH message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19
S58	0	(insert ADJ identifier ADJ header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19

S59	1201	((identifier OR (unique ADJ id)) NEAR5 header) WITH message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:39
S60	204	graphical$2 WITH display WITH network WITH (traffic OR messages)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 15:03
S61	59	S60 AND "709"/$.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 15:02
S62	29	visualize WITH network WITH (traffic OR messages)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 15:22
S63	2	("5768552").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 15:22
S64	126	fully ADJ qualified ADJ class ADJ name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:36
S65	11	(fully ADJ qualified ADJ class ADJ name) WITH unique$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:36

EAST Search History

S66	929	((identifier OR (unique ADJ id)) NEAR5 header) NEAR5 message	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:40
S67	135	S66 AND "709"/$.CCLS. AND @ad < "20020207"	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:40
S68	8	knitter-jay$.in. OR knitter-jason$.in.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/11 12:55
S69	56844	hewlett-packard$.as.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/11 12:55
S70	31	S69 AND (simple ADJ object ADJ access ADJ protocol)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/11 12:55